

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	"5465288".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L2	2	"6144849".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L3	2022	simulat\$6 same printing same (job or process or model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L4	478	simulat\$6 same (printing adj (job or process or model))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L5	3	L4 and (selection adj criteria)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L6	16	L4 and ((graphical adj user adj interface) or GUI)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L7	15	L6 not L5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L8	2	("0000703").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 00:07
L9	862	(703/1).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 00:07
L10	10311	("703").CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/09/18 00:07

## EAST Search History

L11	45	L10 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L12	1	L3 and (enterprise adj dynamics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L13	21	(enterprise adj dynamics)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L14	30	(print\$4 near3 configuration) same simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L15	34	plac\$4 near3 print\$3 near3 device\$1 near3 display	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L16	2	"6108662".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L17	70	simulat\$4 near3 (printing adj presses)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L18	0	graphical near3 (print\$3 adj press\$4) near3 configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L19	0	(enterprise near3 managment) and (printing near3 device near3 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L20	443	(printing near3 device near3 configuration)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07

## EAST Search History

L21	11	L20 and (order adj sets)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L22	2	(process adj data adj set) same (order\$3 adj data adj set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L23	181	(simulated near3 process near3 flows)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L24	10	L23 and (printing)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L25	18	L23 and graphics	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L26	12	L25 not L24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L27	2	simulat\$5 same process same flow\$1 same graphic\$1 same industry	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L28	485	link same print\$4 same job same data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L29	46	L28 and simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L30	310	network same configuration same simulator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07

## EAST Search History

L31	5	L30 and (drag near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L32	2	(computerized near3 model) and (printing near3 system)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L33	919	(computerized near3 model)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L34	0	L33 and (printing near3 plants)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L35	441	L33 and configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L36	19	L35 and (drag near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L37	26	(virtual or simulat\$5) near3 (assembly adj line)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L38	1	"6983232".pn. and (print\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L39	2	"6983232".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L40	0	"6983232".pn. and (attribute same size)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07

## EAST Search History

L41	0	"6983232".pn. and (attribute)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L42	0	"6983232".pn. and (propert\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L43	0	"6983232".pn. and (feature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L44	191	GUI same (size near3 object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L45	8	GUI same (size near3 object) same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L46	0	L45 same simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L47	1	L45 and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L48	21	enterprise adj dynamic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L49	355	INCONTROL	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L50	6	L49 and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07

## EAST Search History

L51	2	"6983232".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L52	0	"6983232".pn. and (input\$5 same library)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L53	1	"6983232".pn. and (input\$5 same database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L54	1	"6983232".pn. and (input\$5 same database) and ((default near3 data) same (base near3 case))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L55	1	"6983232".pn. and (input\$5 same database) and (default near3 data) and (base near3 case)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L56	2	"20040117399".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L57	0	"20040117399".pn. and spreadsheet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L58	0	"20040117399".pn. and (measure near3 performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L59	1	"6983232".pn. and (measure near3 performance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L60	1	"6983232".pn. and (measure near3 performance) and (customer near3 needs)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07

## EAST Search History

L61	1	((printing adj jobs) near3 input) same (print\$5 near3 simulation)) and (printing press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L62	4	((printing adj jobs) near3 input) and (print\$5 near3 simulation)) and (printing press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L63	0	"6983232".pn. and (test near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L64	1	"6983232".pn. and (test same data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L65	2	"20040117399".pn. and ((input or test or default) near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L66	1	"20010034592".pn. and ((input or test or default) near3 data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L67	1	"20010034592".pn. and ((input or test or default) same data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L68	0	"20010034592".pn. and ((input or test or default) same data) and (print near3 operation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L69	1	"20010034592".pn. and ((input or test or default) same data) and (print near3 job)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L70	1	"20010034592".pn. and ((input or test or default) same data) and (print near3 job) and (print near3 job near3 generator)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07

## EAST Search History

L71	0	"20010034592".pn. and ((input or test or default) same data) and (print near3 job) and (print near3 job near3 generator) and (simulat\$ near3 print near3 (job or cycle or test))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L72	0	"20040117399".pn. and (best near3 link)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L73	1	"20040117399".pn. and (best same link\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L74	1	"20040117399".pn. and (best same link\$6) and (link\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L75	9	link same (print\$4 near3 (test or input or job or cycle)) same (machine near3 object)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L76	0	L75 and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L77	0	(((test or default) near3 input) same selected same (used or applied or (run near3 through) or (ran near3 through)) same ((assembly near3 line) or (process near3 flow))) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L78	876	(((test or default) near3 input) and selected and (used or applied or (run near3 through) or (ran near3 through)) and ((assembly near3 line) or (process near3 flow))) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L79	0	L78 and ((printing adj press) or (graphics adj industry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L80	114	L78 and ((print\$5 near3 press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07



## EAST Search History

L81	0	L80 and ((graphical near3 user near3 interface) and (drag near3 drop))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L82	113	L80 and (graphical near3 user near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L83	0	(salesman or consultant) same ((print near3 press) same simulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L84	0	(salesman or consultant) and ((print near3 press) same simulation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L85	0	(salesman or consultant) and (print near3 press) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L86	7	(salesman or consultant) and (print\$4 near3 press) and simulation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L87	0	"6983232".pn. and (ranking same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L88	1	"6983232".pn. and ((rank\$5 or compar\$5) same result)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L89	3	link\$4 same (process near3 data near3 set) same (order near3 data near3 set)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L90	3	(configur\$5 near3 (print\$5 adj device)) same simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07

## EAST Search History

L91	0	(print near3 job) same (print\$5 near3 (press or device or machine or object or plant)) same (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L92	0	(print near3 job) and (print\$5 near3 (press or device or machine or object or plant)) and (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L93	104	(print\$5 near3 (press or device or machine or object or plant)) and (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L94	28	L93 and (graphical near3 user near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L95	2	L94 and (drag near3 drop)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L96	28	L93 and (graphical near3 user near3 interface)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L97	0	L96 not L93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L98	3	(print\$5 near3 (press)) and (simulat\$6 near3 scenario)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L99	2	"6108662".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L100	0	"6108662".pn. and simulation and (GUI or (graphical near3 user near3 interface)) and (input same library)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07

## EAST Search History

L101	1	"6108662".pn. and simulation and (GUI or (graphical near3 user near3 interface))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L102	0	"6108662".pn. and L84	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L103	0	"20010034592".pn. and (rank\$5 near3 results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L104	0	"20010034592".pn. and (rank\$5 same results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L105	0	"20010034592".pn. and rank\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L106	0	"20010034592".pn. and (compare near3 results)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L107	1	"20040117399".pn. and (create near3 process near3 flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L108	1	"20040117399".pn. and (create near3 process near3 flow) and (create same process same flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L109	1	"6983232".pn. and (calculate or function)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L110	2	"20040117399".pn. and (link\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07

## EAST Search History

L111	2	"20040117399".pn. and (process adj flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L112	1	"6983232".pn. and (process adj flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L113	1	"6983232".pn. and (process same flow)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L114	1	"20010034592".pn. and input	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L115	1	"20010034592".pn. and input\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L116	2	"20010034592".pn. and (size or dimension or area or mass or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L117	1	"6108662".pn. and (size or dimension or area or mass or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L118	1	"6144849".pn. and (size or dimension or area or mass or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L119	1	"6983232".pn. and (size or dimension or area or mass or measur\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L120	26	simulation same (size or dimension or area or mass or measur\$5) same (machine or object) same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07

## EAST Search History

L121	2	"6983232".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L122	1	"6983232".pn. and template	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L123	4648	(test near3 data) same (simulat\$6)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L124	62	L123 same (graphics or (print\$4 near3 industry) or (print\$4 near3 press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L125	2	"20010034596".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L126	0	"20010034596".pn. and (view\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L127	20410	(size near3 dimensions) same associated same printing press same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L128	0	(size near3 dimensions) same associated same (printing near3 press) same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L129	0	(size near3 dimensions) same associated and (printing near3 press) same interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L130	23	(size near3 dimensions) same associated and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07

## EAST Search History

L131	6	((size near3 dimensions) same associated) and (printing near3 press) and interface	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L132	5	((size near3 dimensions) same associated) same (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L133	4	(simulation near3 object) same label\$4 same (size or dimensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L134	23	((size near3 dimensions) same associated) and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L135	2501	dimensions same minimum same required same machine	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L136	9	L135 same (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L137	13	display same dimensions same object same simulat\$3 same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L138	1	(spatial near3 dimensions) same (object or machine or (printing near3 press)) same simulat\$3 same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L139	13	(spatial near3 dimensions) same (object or machine or (printing near3 press)) same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L140	48	(assembly near3 line) near3 simulat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07

## EAST Search History

L141	0	L140 and (spatial near3 dimensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L142	38	(spatial near3 dimensions) same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L143	10	(spatial near3 dimensions) and (room near3 (design or arrangement))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L144	102	(associated near3 (dimensions or measurements or (spatial adj dimensions))) and (printing adj press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L145	4	(associated near3 (dimensions or measurements or (spatial adj dimensions))) same (printing adj press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L146	20	(associated near3 (dimensions or measurements or (spatial adj dimensions))) and (printing adj press) and simulat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L147	19	L146 not L145	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L148	0	"6983232".pn. and floorspace	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L149	1	"6983232".pn. and area	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L150	0	floor space same (used or (taken\$up) or consumed or utilized) same (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07

## EAST Search History

L151	0	floorspace same (used or (taken\$up) or consumed or utilized) and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L152	96	floorspace same (used or (taken\$up) or consumed or utilized)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L153	0	simulat\$4 and (room adj design) and (spatial near3 furniture)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L154	10	(data near3 set) same contains same (spatial near3 dimensions)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L155	0	L154 and (printing near3 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L156	1	(spatial near3 dimensions) same graphic same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L157	730	(size or measurements) same graphic same label	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L158	250	L157 same (print\$4 or (printing adj press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L159	5	L157 same ((printing adj press))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L160	35765	(printing adj press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07



## EAST Search History

L161	688	L160 same (size near5 press)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L162	7	L161 same (displayed)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L163	250	(drag near3 drop) same (graphic or object or machine or (printing adj press)) same (size or width or length)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L164	6	(drag near3 drop) same (graphic or object or machine or (printing adj press)) same ((actual or real) near3 (size or width or length))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L165	17	retrieve same machine same dimensions same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L166	295	machine same dimensions same database	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L167	2	"20030018542".pn. and (specification near3 database)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L168	0	(compare near3 test near3 data) same (machine near3 object) same rank same assign	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L169	0	"20040117399".pn. and means	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07
L170	1	"6983232".pn. and ((cost or expense) same time)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/09/18 00:07